

**TOXICOLOGICAL PROFILE FOR
ALPHA-, BETA-, GAMMA-,
and DELTA-HEXACHLOROCYCLOHEXANE**

Prepared by:

Research Triangle Institute
Under Contract No. 205-93-0606

Prepared for:

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Agency for Toxic Substances and Disease Registry

July 1999

DISCLAIMER

The use of company or product name(s) is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry.

UPDATE STATEMENT

A Toxicological Profile for hexachlorocyclohexane was released in May 1997. This edition supersedes any previously released draft or final profile.

Toxicological profiles are revised and republished as necessary, but no less than once every three years. For information regarding the update status of previously released profiles, contact ATSDR at:

Agency for Toxic Substances and Disease Registry
Division of Toxicology/Toxicology Information Branch
1600 Clifton Road NE, E-29
Atlanta, Georgia 30333

FOREWORD

This toxicological profile is prepared in accordance with guidelines* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for the hazardous substance described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a hazardous substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.


The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a public health statement that describes, in nontechnical language, a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protection of public health are identified by ATSDR and EPA.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a hazardous substance to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, subacute, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staff of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.



Jeffrey P. Koplan, M.D., M.P.H.
Administrator
Agency for Toxic Substances and
Disease Registry

*Legislative Background

The toxicological profiles are developed in response to the Superfund Amendments and Reauthorization Act (SARA) of 1986 (Public Law 99-499) which amended the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA or Superfund). This public law directed ATSDR to prepare toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. The availability of the revised priority list of 275 hazardous substances was announced in the *Federal Register* on November 17, 1997 (62 FR 61332). For prior versions of the list of substances, see *Federal Register* notices dated April 29, 1996 (61 FR 18744); April 17, 1987 (52 FR 12866); October 20, 1988 (53 FR 41280); October 26, 1989 (54 FR 43619); October 17, 1990 (55 FR 42067); October 17, 1991 (56 FR 52166); October 28, 1992 (57 FR 48801); and February 28, 1994 (59 FR 9486). Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list.

QUICK REFERENCE FOR HEALTH CARE PROVIDERS

Toxicological Profiles are a unique compilation of toxicological information on a given hazardous substance. Each profile reflects a comprehensive and extensive evaluation, summary, and interpretation of available toxicologic and epidemiologic information on a substance. Health care providers treating patients potentially exposed to hazardous substances will find the following information helpful for fast answers to often-asked questions.

Primary Chapters/Sections of Interest

Chapter 1: Public Health Statement: The Public Health Statement can be a useful tool for educating patients about possible exposure to a hazardous substance. It explains a substance's relevant toxicologic properties in a nontechnical, question-and-answer format, and it includes a review of the general health effects observed following exposure.

Chapter 2: Health Effects: Specific health effects of a given hazardous compound are reported by *route of exposure*, by *type of health effect* (death, systemic, immunologic, reproductive), and by *length of exposure* (acute, intermediate, and chronic). In addition, both human and animal studies are reported in this section.

NOTE: Not all health effects reported in this section are necessarily observed in the clinical setting. Please refer to the Public Health Statement to identify general health effects observed following exposure.

Pediatrics: Four new sections have been added to each Toxicological Profile to address child health issues:

Section 1.6	How Can (Chemical X) Affect Children?
Section 1.7	How Can Families Reduce the Risk of Exposure to (Chemical X)?
Section 2.6	Children's Susceptibility
Section 5.6	Exposures of Children

Other Sections of Interest:

Section 2.7	Biomarkers of Exposure and Effect
Section 2.10	Methods for Reducing Toxic Effects

ATSDR Information Center

Phone: 1-888-42-ATSDR or 404-639-6357
E-mail: atsdric@cdc.gov

Fax: 404-639-6359
Internet: <http://www.atsdr.cdc.gov>

The following additional material can be ordered through the ATSDR Information Center:

Case Studies in Environmental Medicine: Taking an Exposure History—The importance of taking an exposure history and how to conduct one are described, and an example of a thorough exposure history is provided. Other case studies of interest include *Reproductive and Developmental Hazards*; *Skin Lesions and Environmental Exposures*; *Cholinesterase-Inhibiting Pesticide Toxicity*; and numerous chemical-specific case studies.

Managing Hazardous Materials Incidents is a three-volume set of recommendations for on-scene (prehospital) and hospital medical management of patients exposed during a hazardous materials incident. Volumes I and II are planning guides to assist first responders and hospital emergency department personnel in planning for incidents that involve hazardous materials. Volume III—*Medical Management Guidelines for Acute Chemical Exposures*—is a guide for health care professionals treating patients exposed to hazardous materials.

Fact Sheets (ToxFAQs) provide answers to frequently asked questions about toxic substances.

Other Agencies and Organizations

The National Center for Environmental Health (NCEH) focuses on preventing or controlling disease, injury, and disability related to the interactions between people and their environment outside the workplace. *Contact:* NCEH, Mailstop F-29, 4770 Buford Highway, NE, Atlanta, GA 30341-3724 • Phone: 770-488-7000 • FAX: 770-488-7015.

The National Institute for Occupational Safety and Health (NIOSH) conducts research on occupational diseases and injuries, responds to requests for assistance by investigating problems of health and safety in the workplace, recommends standards to the Occupational Safety and Health Administration (OSHA) and the Mine Safety and Health Administration (MSHA), and trains professionals in occupational safety and health. *Contact:* NIOSH, 200 Independence Avenue, SW, Washington, DC 20201 • Phone: 800-356-4674 or NIOSH Technical Information Branch, Robert A. Taft Laboratory, Mailstop C-19, 4676 Columbia Parkway, Cincinnati, OH 45226-1998 • Phone: 800-35-NIOSH.

The National Institute of Environmental Health Sciences (NIEHS) is the principal federal agency for biomedical research on the effects of chemical, physical, and biologic environmental agents on human health and well-being. *Contact:* NIEHS, PO Box 12233, 104 T.W. Alexander Drive, Research Triangle Park, NC 27709 • Phone: 919-541-3212.

Referrals

The Association of Occupational and Environmental Clinics (AOEC) has developed a network of clinics in the United States to provide expertise in occupational and environmental issues. *Contact:* AOEC, 1010 Vermont Avenue, NW, #513, Washington, DC 20005 • Phone: 202-347-4976 • FAX: 202-347-4950 • e-mail: aoec@dgs.dgsys.com • AOEC Clinic Director: <http://occ-env-med.mc.duke.edu/oem/aoec.htm>.

The American College of Occupational and Environmental Medicine (ACOEM) is an association of physicians and other health care providers specializing in the field of occupational and environmental medicine. *Contact:* ACOEM, 55 West Seegers Road, Arlington Heights, IL 60005 • Phone: 847-228-6850 • FAX: 847-228-1856.

CONTRIBUTORS

CHEMICAL MANAGER(S)/AUTHOR(S):

Gangadhar Choudhary, Ph.D.
ATSDR, Division of Toxicology, Atlanta, GA

Diana Wong, Ph.D., DABT
Sciences International Incorporated, Alexandria, VA

Steve Donkin, Ph.D.
Sciences International Incorporated, Alexandria, VA

THE PROFILE HAS UNDERGONE THE FOLLOWING ATSDR INTERNAL REVIEWS:

1. Health Effects Review. The Health Effects Review Committee examines the health effects chapter of each profile for consistency and accuracy in interpreting health effects and classifying endpoints.
2. Minimal Risk Level Review. The Minimal Risk Level Workgroup considers issues relevant to substance-specific minimal risk levels (MRLs), reviews the health effects database of each profile, and makes recommendations for derivation of MRLs.
3. Data Needs Review. The Research Implementation Branch reviews data needs sections to assure consistency across profiles and adherence to instructions in the Guidance.

PEER REVIEW

A peer review panel was assembled for hexachlorocyclohexane. The panel consisted of the following members:

1. Dr. Carson Conaway, Research Scientist, American Health Foundation, Valhalla, New York
2. Dr. Arthur Gregory, Private Consultant, Luray, Virginia
3. Dr. Donald Morgan, Private Consultant, Cedar Rapids, Iowa
4. James E. Klaunig, Ph.D., Professor and Director of Toxicology, Department of Pharmacology and Toxicology, Indiana University College of Medicine
5. Christine Eccles, Ph.D., Associate Professor, University of Maryland, School of Pharmacy, Baltimore, Maryland

These experts collectively have knowledge of hexachlorocyclohexane's physical and chemical properties, toxicokinetics, key health end points, mechanisms of action, human and animal exposure, and quantification of risk to humans. All reviewers were selected in conformity with the conditions for peer review specified in Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound. A list of databases reviewed and a list of unpublished documents cited are also included in the administrative record.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

CONTENTS

FOREWORD	v
QUICK REFERENCE FOR HEALTH CARE PROVIDERS	vii
CONTRIBUTORS	ix
PEER REVIEW	xi
LIST OF FIGURES	xvii
LIST OF TABLES	xix
1. PUBLIC HEALTH STATEMENT	1
1.1 WHAT IS HEXACHLOROCYCLOHEXANE?	1
1.2 WHAT HAPPENS TO HEXACHLOROCYCLOHEXANE WHEN IT ENTERS THE ENVIRONMENT?	2
1.3 HOW MIGHT I BE EXPOSED TO HEXACHLOROCYCLOHEXANE?	3
1.4 HOW CAN HEXACHLOROCYCLOHEXANE ENTER AND LEAVE MY BODY?	3
1.5 HOW CAN HEXACHLOROCYCLOHEXANE AFFECT MY HEALTH?	4
1.6 HOW CAN HEXACHLOROCYCLOHEXANE AFFECT CHILDREN?	5
1.7 HOW CAN FAMILIES REDUCE THE RISK OF EXPOSURE TO HEXACHLOROCYCLOHEXANE?	6
1.8 IS THERE A MEDICAL TEST TO DETERMINE WHETHER I HAVE BEEN EXPOSED TO HEXACHLOROCYCLOHEXANE?	7
1.9 WHAT RECOMMENDATIONS HAS THE FEDERAL GOVERNMENT MADE TO PROTECT HUMAN HEALTH?	7
1.10 WHERE CAN I GET MORE INFORMATION?	8
2. HEALTH EFFECTS	11
2.1 INTRODUCTION	11
2.2 DISCUSSION OF HEALTH EFFECTS BY ROUTE OF EXPOSURE	11
2.2.1 Inhalation Exposure	13
2.2.1.1 Death	13
2.2.1.2 Systemic Effects	18
2.2.1.3 Immunological and Lymphoreticular Effects	20
2.2.1.4 Neurological Effects	21
2.2.1.5 Reproductive Effects	21
2.2.1.6 Developmental Effects	22
2.2.1.7 Genotoxic Effects	22
2.2.1.8 Cancer	22
2.2.2 Oral Exposure	23
2.2.2.1 Death	23
2.2.2.2 Systemic Effects	54
2.2.2.3 Immunological and Lymphoreticular Effects	61
2.2.2.4 Neurological Effects	62
2.2.2.5 Reproductive Effects	65
2.2.2.6 Developmental Effects	66

2.2.2.7	Genotoxic Effects	68
2.2.2.8	Cancer	68
2.2.3	Dermal Exposure	71
2.2.3.1	Death	71
2.2.3.2	Systemic Effects	72
2.2.3.3	Immunological and Lymphoreticular Effects	78
2.2.3.4	Neurological Effects	78
2.2.3.5	Reproductive Effects	79
2.2.3.6	Developmental Effects	79
2.2.3.7	Genotoxic Effects	80
2.2.3.8	Cancer	80
2.3	TOXICOKINETICS	80
2.3.1	Absorption	81
2.3.1.1	Inhalation Exposure	81
2.3.1.2	Oral Exposure	81
2.3.1.3	Dermal Exposure	82
2.3.2	Distribution	83
2.3.2.1	Inhalation Exposure	84
2.3.2.2	Oral Exposure	84
2.3.2.3	Dermal Exposure	85
2.3.3	Metabolism	87
2.3.4	Elimination and Excretion	90
2.3.4.1	Inhalation Exposure	90
2.3.4.2	Oral Exposure	90
2.3.4.3	Dermal Exposure	91
2.3.5	Physiologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models	92
2.3.5.1	Summary of PBPK Models	93
2.4	MECHANISMS OF ACTION	97
2.4.1	Pharmacokinetic Mechanisms	97
2.4.2	Mechanisms of Toxicity	97
2.4.3	Animal-to-Human Extrapolations	99
2.5	RELEVANCE TO PUBLIC HEALTH	99
2.6	CHILDREN'S SUSCEPTIBILITY	110
2.7	BIOMARKERS OF EXPOSURE AND EFFECT	114
2.7.1	Biomarkers Used to Identify or Quantify Exposure to Hexachlorocyclohexane	115
2.7.2	Biomarkers Used to Characterize Effects Caused by Hexachlorocyclohexane	116
2.8	INTERACTIONS WITH OTHER CHEMICALS	117
2.9	POPULATIONS THAT ARE UNUSUALLY SUSCEPTIBLE	119
2.10	METHODS FOR REDUCING TOXIC EFFECTS	120
2.10.1	Reducing Peak Absorption Following Exposure	120
2.10.2	Reducing Body Burden	120
2.10.3	Interfering with the Mechanism of Action for Toxic Effects	121
2.11	ADEQUACY OF THE DATABASE	121
2.11.1	Existing Information on Health Effects of Hexachlorocyclohexane	122
2.11.2	Identification of Data Needs	124
2.11.3	Ongoing Studies	135
3.	CHEMICAL AND PHYSICAL INFORMATION	137
3.1	CHEMICAL IDENTITY	137
3.2	PHYSICAL AND CHEMICAL PROPERTIES	137

4. PRODUCTION, IMPORT/EXPORT, USE, AND DISPOSAL	143
4.1 PRODUCTION	143
4.2 IMPORT/EXPORT	143
4.3 USE	145
4.4 DISPOSAL	146
5. POTENTIAL FOR HUMAN EXPOSURE	149
5.1 OVERVIEW	149
5.2 RELEASES TO THE ENVIRONMENT	149
5.2.1 Air	155
5.2.2 Water	155
5.2.3 Soil	156
5.3 ENVIRONMENTAL FATE	157
5.3.1 Transport and Partitioning	157
5.3.2 Transformation and Degradation	161
5.3.2.1 Air	161
5.3.2.2 Water	161
5.3.2.3 Sediment and Soil	162
5.4 LEVELS MONITORED OR ESTIMATED IN THE ENVIRONMENT	164
5.4.1 Air	164
5.4.2 Water	165
5.4.3 Sediment and Soil	166
5.4.4 Other Environmental Media	167
5.5 GENERAL POPULATION AND OCCUPATIONAL EXPOSURE	168
5.6 EXPOSURES OF CHILDREN	172
5.7 POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	175
5.8 ADEQUACY OF THE DATABASE	175
5.8.1 Identification of Data Needs	176
5.8.2 Ongoing Studies	180
6. ANALYTICAL METHODS	183
6.1 BIOLOGICAL SAMPLES	183
6.2 ENVIRONMENTAL SAMPLES	188
6.3 ADEQUACY OF THE DATABASE	200
6.3.1 Identification of Data Needs	200
6.3.2 Ongoing Studies	201
7. REGULATIONS AND ADVISORIES	203
8. REFERENCES	213
9. GLOSSARY	271
APPENDICES	
A. ATSDR MINIMAL RISK LEVELS AND WORKSHEETS	A-1
B. USER'S GUIDE	B-1
C. ACRONYMS, ABBREVIATIONS, AND SYMBOLS	C-1

LIST OF FIGURES

2-1	Levels of Significant Exposure to Gamma-Hexachlorocyclohexane—Inhalation	16
2-2	Levels of Significant Exposure to Gamma-Hexachlorocyclohexane—Oral	34
2-3	Levels of Significant Exposure to Alpha-, Beta-, Delta-, and Technical-Grade Hexachlorocyclohexane—Oral	50
2-4	The Proposed Metabolism of Hexachlorocyclohexane	88
2-5	Conceptual Representation of a Physiologically Based Pharmacokinetic (PBPK) Model for a Hypothetical Chemical Substance	94
2-6	Structure of the PBPK Model for Lindane	95
2-7	Existing Information on the Health Effects of Hexachlorocyclohexane	123
5-1	Frequency of NPL Sites with Gamma-Hexachlorocyclohexane Contamination	150
5-2	Frequency of NPL Sites with Alpha-Hexachlorocyclohexane Contamination	151
5-3	Frequency of NPL Sites with Beta-Hexachlorocyclohexane Contamination	152
5-4	Frequency of NPL Sites with Delta-Hexachlorocyclohexane Contamination	153

LIST OF TABLES

2-1	Levels of Significant Exposure to Gamma-Hexachlorocyclohexane—Inhalation	14
2-2	Levels of Significant Exposure to Gamma-Hexachlorocyclohexane—Oral	24
2-3	Levels of Significant Exposure to Alpha-, Beta-, Delta-, and Technical-Grade	38
2-4	Levels of Significant Exposure to Gamma-Hexachlorocyclohexane—Dermal	73
2-5	Levels of Significant Exposure to Technical-Grade Hexachlorocyclohexane—Dermal	75
2-6	Parameters of a PBPK Model for Lindane in Rats	96
2-7	Genotoxicity of Hexachlorocyclohexane Isomers <i>In Vivo</i>	108
2-8	Genotoxicity of Hexachlorocyclohexane Isomers <i>In Vitro</i>	109
3-1	Chemical Identity of Hexachlorocyclohexane Isomers	138
3-2	Chemical and Physical Properties of Hexachlorocyclohexane Isomers	141
4-1	Facilities that Manufacture or Process Lindane	144
5-1	Releases to the Environment from Facilities that Manufacture or Process Lindane	154
6-1	Analytical Methods for Determining Hexachlorocyclohexane in Biological Samples	184
6-2	Analytical Methods for Determining Hexachlorocyclohexane in Environmental Samples	189
7-1	Regulations and Guidelines Applicable to Hexachlorocyclohexane	204

